EAST Search History

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	144955	((process thread method function routine subroutine procedure) WITH (switch chang\$3 complet\$3)) AND ((memory cache access) WITH (reduc \$4 decreas\$3 lower diminish lessen))	US PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	MON MANAGEMENT	2009/03/14 18:02
L3	64313	((process thread method function routine subroutine procedure) NEAP5 (switch chang\$3 complet\$3)) AND ((memory cache access) NEAP5 (reduc \$4 decreas\$1 lower diminish lessen))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/14 18:02
L4	726	((process thread method function routine subroutine procedure) NEAR5 (switch chang\$3 complet\$3 swap)) AND ((memory cache access) NEAR5 (reduc \$4 decreas\$3 lower diminish lessen)) AND (sun.as.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/14 18:02
L5	6703	(((process thread method function routine subroutine procedure) NEAR5 (switch chang\$3 complet\$3 swap)) AND ((memory cache access) NEAR5 (reduc \$4 decreas\$3 lower diminish lessen)) AND ((local transient unused useless temporary) NEAR (variable data entry))	US-PGPUB; USPAT; USCOCR; EPC); JPO; DERWENT; IBM_TDB	OR	ON	2009/03/14

L6	3024	((process thread method function routine subroutine procedure) NEAF5 (switch chang\$3 complet\$3 swap)) AND (memory cache access) NEAF5 (reduc \$4 decreas\$3 lower diminish lessen)) AND ((local transient unused useless temporary) NEAR (variable data entry)) AND (Java SM stack)	US-PATUR; US-PATUROOR; EPO; JPO; DEFWENT; IBM_TDB	OR	ON	2009/03/14
L7	626	((process thread method function routine subroutine procedure) NEAR5 (switch chang\$3 complet\$3 swap)) AND ((memory cache access) NEAR5 (reduc \$4 decreas\$3 lower diminish lessen) AND ((local transient unused useless temporary) NEAR (variable data entry)) AND (Java JSW) AND (Ja	US PGPUB; USPAT; USCOR; EPC, JPO; DERWENT; IBM_TDB	OR	ON .	2009/03/14 18:02
L8	2	"6125439".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/14 18:02
L9	104	L7 AND (sun.as.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/14 18:02
L10	2337	(garbage ADJ collection) AND (java)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/14 18:02
L11	398	(garbage ADJ collection) AND (java) AND (local ADJ variable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/14 18:02

L12	23	(selective optional) NEAR2 (garbage ADJ collection)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/14 18:02
L13	8	(711/129,173). CCLS. AND ((partition group section region) NEAR5 (finished unfinished complete active terminate)) AND (((local transient temporary unused useless) ADJ (variable data)))	US-PGPUB; USPAT; USOCR; EPC; JPC; DERWENT; IBM_TDB	OR	ON.	2009/03/14 18:02
L15	3633	L14 AND ((finished unfinished completed complete completing terminated terminating) ADJ (method function process thread routine subroutine))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/14 18:02
L16	316	L14 AND ((finished unfinished) ADJ (method function process thread routine subroutine))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/14 18:02
L17	18844	(context) NEAF3 (switch\$3 chang\$3 swap\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/14 18:02
L18	46513	((local transient temporary unused useless) ADJ (variable data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/14 18:02
L19	6254982	(finish\$3 unfinish\$3 complet\$3 incomplet \$3 terminat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/14 18:02
L20	56	L19 SAME L18 SAME L17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/14 18:02

L21	189525	(finish\$3 complet\$3 terminat\$3) AND (unfinish\$3 incomplet \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	0N	2009/03/14 18:02
L22	286	L21 AND L18 AND L17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/14 18:02
L23	6214597	(finish\$3 complet\$3 terminat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/14 18:02
L24	229910	(unfinish\$3 incomplet \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/14 18:02
L25	8	(L23 WITH L18) AND (L24 WITH L18) AND L17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/14 18:02
L26	8	(unfinish\$3 incomplet \$3) WITH L18 WITH (external ADJ memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/14 18:02
L27	8	(unfinish\$3 incomplet \$3) WITH L18 WITH (external)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/14 18:02
L28	25	((local transient temporary unused useless) NEAR2 (variable data)) WITH ((finish\$3 complet\$3 terminat \$3) NEAR2 (method function process thread routine) .CLM.	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR		2009/03/14 18:17

L29	1	((local transient temporary unused useless) NEAF2 (variable data)) WTH ((unfinish\$3 incomplet\$3 "not finished" "not been completed") NEAF2 (method function process thread routine subroutine)). CLM.	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWBNT; IBM_TDB	OR		2009/03/14 18:18
L30	1	L28 AND L29	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/14 18:18
L31	56587	(texas).AS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/14 18:18
L32	312	(lasserre-serge).IN. (kuusela-maija).IN. (chauvel-gerard).IN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/14 18:18
L33	6	(L31 L32) AND (L28 L29)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/14 18:19
L34	1	(L31 L32) AND (L28 AND L29)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/14 18:19

3/14/2009 6:19:33 PM

C:\ Documents and Settings\ sgu\ My Documents\ EAST\ Workspaces\ 10632076 Memory Management of Local Variables upon a Change of Context.wsp